

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	8	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and (synchron\$5 with link with timestamp\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 09:54
L6	48	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and (synchron\$5 with link with pli)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 10:43
L7	0	("20010030649").PN.	USPAT; USOCR	OR	OFF	2007/12/20 10:43
L8	1	("20010030649").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/20 10:43
S1	2	("7177329").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 16:15
S2	0	("10726438").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 16:15
S3	2	"US 7068686"	US-PGPUB; USPAT; USOCR; DERWENT	ADJ	ON	2007/06/21 16:18
S4	219	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and "370". clas. and ((reduce near3 overhead) same header)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 16:45

EAST Search History

S5	308	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and "370". clas. and (((reduce or minimiz\$4 or lessen) near3 overhead) same header)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 15:17
S6	330	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and "370". clas. and (((reduce or minimiz\$4 or lessen or short\$3) near3 overhead) same header)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 16:46
S7	349	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and ("370". clas. or "348".clas.) and (((reduce or minimiz\$4 or lessen or short\$3) near3 overhead) same header)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 16:48
S8	689	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and ("370". clas. or "348".clas.) and (((reduce or minimiz\$4 or lessen or short\$3) near3 header))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 16:49
S9	177	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and ("370". clas. or "348".clas.) and (((reduce or minimiz\$4 or lessen or short\$3) near3 header)) and ((auxiliary or different or help or pilot) near2 channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 17:05

EAST Search History

S10	20	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and ("370". clas. or "348".clas.) and (((reduce or minimiz\$4 or lessen or short\$3) near3 header)) and (((auxiliary or different or help or pilot) near2 channel) same (attribute or quality or property character\$5))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 14:34
S11	21	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and ("370". clas. or "348".clas.) and (((reduce or minimiz\$4 or lessen or short\$3) near4 header)) and (((auxiliary or different or help or pilot) near2 channel) same (attribute or quality or property character\$5))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 16:58
S14	8	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and ("370". clas. or "348".clas.) and (((reduce or minimiz\$4 or lessen or short\$3) near4 (header or preamble)) or (small near3 (header or preamble))) and (((auxiliary or different or help or pilot) near2 channel) same (attribute or quality or property character\$5)) not S10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 17:01
S15	26	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and ("370". clas. or "348".clas.) and (((reduce or minimiz\$4 or lessen or short\$3) near4 (header or preamble))) and (((auxiliary or different or help or pilot) near2 channel) same (attribute or quality or property character\$5))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/22 09:09
S16	338	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and 370/485. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 14:34

EAST Search History

S17	452	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and 370/473. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 15:17
S18	741	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and 370/476. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 15:17
S19	3042	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and 370/389. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 15:18
S20	2688	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and 370/349. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 15:18
S21	275	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and 348/537. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 17:51
S22	276	(@ad<="20030501" or @pd<="20030501" or @rlan<="20030501" or @rlad<="20030501" or @rlpn<="20030501") and 348/537. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 17:53
S23	0	(@ad<="20030501" or @pd<="20030501" or @rlan<="20030501" or @rlad<="20030501" or @rlpn<="20030501") and dvi and (main and (auxill\$5))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 17:53
S24	243	(@ad<="20030501" or @pd<="20030501" or @rlan<="20030501" or @rlad<="20030501" or @rlpn<="20030501") and 348/537. ccls. and clock	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 17:54

EAST Search History

S25	37	(@ad<="20030501" or @pd<="20030501" or @rlan<="20030501" or @rlad<="20030501" or @rlpn<="20030501") and 348/537. ccls. and asynchrone\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 17:59
S26	1302	(@ad<="20030501" or @pd<="20030501" or @rlan<="20030501" or @rlad<="20030501" or @rlpn<="20030501") and (no near6 clock\$3) and "348".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 17:59
S27	0	(@ad<="20030501" or @pd<="20030501" or @rlan<="20030501" or @rlad<="20030501" or @rlpn<="20030501") and (no near6 clock\$3) and 348/536,537. clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 18:00
S28	74	(@ad<="20030501" or @pd<="20030501" or @rlan<="20030501" or @rlad<="20030501" or @rlpn<="20030501") and (no near6 clock\$3) and 348/536,537. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 18:04
S29	0	(@ad<="20030501" or @pd<="20030501" or @rlan<="20030501" or @rlad<="20030501" or @rlpn<="20030501") and (no near6 clock\$3) and 348/536,537. ccls. and (ddc or dvi)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 18:06
S30	7	(@ad<="20030501" or @pd<="20030501" or @rlan<="20030501" or @rlad<="20030501" or @rlpn<="20030501") and (clock\$3) and 348/536,537.ccls. and (ddc or dvi)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 18:04
S31	108	(@ad<="20030501" or @pd<="20030501" or @rlan<="20030501" or @rlad<="20030501" or @rlpn<="20030501") and (no near6 clock\$3) and (ddc or dvi)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 18:06

EAST Search History

S32	140	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and ((extract\$5 or recover\$5 or reconstruct\$5) with clock) and (ddc or dvi)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/15 12:14
S33	0	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and ((extract\$5 or recover\$5 or reconstruct\$5) with clock) and (ddc or dvi) same (synchorn\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/15 12:15
S34	32	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and ((extract\$5 or recover\$5 or reconstruct\$5) with clock) and (ddc or dvi) same (synchron\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 09:51
S35	626	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and ((extract\$5 or recover\$5 or reconstruct\$5) with timestamp\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/15 12:49
S36	68	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and ((extract\$5 or recover\$5 or reconstruct\$5) with timestamp\$2 with synchroniz\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/15 12:51
S37	4	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and ((extract\$5 or recover\$5 or reconstruct\$5) with timestamp\$2 with synchroniz\$5) and ("348").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/15 12:51

EAST Search History

S38	0	(@ad<="20030105" or @pd<="20030105" or @rlan<="20030105" or @rlad<="20030105" or @rlpn<="20030105") and ((extract\$5 or recover\$5 or reconstruct\$5) with timestamp\$2 with synchroniz\$5 same (serial))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 09:51
-----	---	--	--	-----	----	------------------